

Production/Admin: 14/4/01
 Date 14/4/01
 Received/Costing 14/4/01
 Initial 14/4/01

Location _____

Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR

Initials of Receiver QC12

Discrepancies

Date: 14/4/01
 Supplier: Thyssen
 Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☒ No ☐
 Receipt: Cash ☒ Cr ☐
 New Supplier: Yes ☐ No ☒

Receiving Report

Batch No: 11111111

Dart P/O: 2374

Release Note Attached: Yes ☒ No ☐

Waybill Attached: Yes ☒ No ☐

Shipment Complete: Yes ☒ No ☐

QC18 Inspection: Yes ☒ No ☐

Work Order: Yes ☒ No ☐

N/A
 N/A
 N/A
 N/A
 N/A

Page 1 of 1

All amounts are calculated in domestic currency.

Purchase Order ID/ Curr Type	Line Nbr/ Insp	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID \ Vendor Name PO23744 CAD	1 No	VC-COP001	Thyssenkrupp Materials CA Ltd M303B0.750X1.500 f 303 BAR .750" X 1.500" m128904	f	4/22/2014 12.0000	4/21/2014 DESJ02	12.0000	\$17.14 \$205.71	0.0000 0.0000	0 0	\$205.71
	11 No		M6061T6B2.000X02.f 250 6061-T6 Bar 2.00 x 2.25 m128904	f	4/17/2014 12.0000	4/21/2014 DESJ02	12.0000	\$11.68 \$140.21	0.0000 0.0000	0 0	\$140.21
	13 No		71401-45 PROCUREMENT QUALITY CLAUSES m128904		4/22/2014 1.0000	4/21/2014 DESJ02	1.0000	\$0.00 \$0.00	0.0000 0.0000	0 0	\$0.00
Total Received Quantity: Total Qty to Inspect (PO U/M): Total Reject Quantity: Total Receipt Value: Total Balance Due Quantity:											25.0000 0.0000 0.0000 \$345.92 0.0000

B I L L O F L A D I N G

No: PEC 872832

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

Ship Date 15Apr14 at 13:42 From PFW
Probill
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Ship To: (1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
Tel: 613-632-9577 Fax: 613-632-1053

B I L L O F L A D I N G

1) Our Order PEC-671980- 1 Your PO # 23744

STAINLESS STEEL FLAT BAR 303CD

750" X 1.50" X 144.0000"

Heat Number
261768

Tag No
282525

Quantity
12 FT

PCS
1

Wt LBS
47

Tags
1

PCS
1

LBS
47

TOTAL:

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
** REFERENCED ON IT **

TOTLA 1 TUBE GW. 53 LBS

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
CONCORD, ONT.* *** 9:00 AM TO 4:00 PM ***

**** TEL. 800-926-2600 ****

* WE STOCK STAINLESS STEEL *

* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

***PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE
ADDED TO EVERY ORDER.***

Page: 1 Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

14/4/21

MTR

10/4/18

1 Tube
2550

B I L L O F L A D I N G

No: PEC 872880

Ship From:
 THYSSENKRUPP MATERIALS NA
 2821 LANGSTAFF ROAD
 CONCORD, ONTARIO L4K 5C6
 Tel: 905 669 9444 Fax: 905-738-9033

Ship Date 15Apr14 at 15:33 From PFW
 Probill

Via VIM TRANSFER

FOB CONCORD

Frt PREPAID

Route 0- 0 Manifest

Vhcle Trailer

Slp STAN IVERS (905-532-1350)

Sold To: (20115)

DART AEROSPACE

1270 ABERDEEN ST

HAWKESBURY, ON K6A 1K7

Ship To: (1)
 DART AEROSPACE
 1270 ABERDEEN ST
 HAWKESBURY, ON K6A 1K7
 Tel: 613-632-9577 Fax: 613-632-1053

B I L L O F L A D I N G

1) Our Order PEC-671595- 1 Your PO # 23744
 ALUMINUM SHEET 6061 T6

.0810 Nom X 48.0000" X 144.0000"

Heat Number	Tag No
K350146	282551
12871/01/02	282553
Total:	

Quantity	PCS
240.00 SFT	5
96.00 SFT	2
336.00 SFT	7

Wt LBS
271
108
379

MTR

2) Our Order PEC-671595- 2 Your PO # 23744
 ALUMINUM FLAT BAR 6061-T6511

2.00" x 2.25" X 144.0000"

Heat Number	Tag No
201406213	282555

Quantity	PCS
12 FT	1

Wt LBS
64

MTR

TOTAL:	Tags	PCS	LBS
	3	8	443

ADD ON TO 671461/671551 VIM SUR-CHARGE ADDED

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
 WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
 TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
 ** REFERENCED ON IT **

TOTAL 1 BDL, 1 SKID GW. 585 LBS

Page: 1Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
 RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
 MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

B I L L O F L A D I N G

No: PEC 872880

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

Ship Date 15Apr14 at 15:33 From PFW
Probill
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE

Ship To: (1)
DART AEROSPACE

B I L L O F L A D I N G

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
CONCORD, ONT.* *** 9:00 AM TO 4:00 PM ***
**** TEL. 800-926-2600 ****

* WE STOCK STAINLESS STEEL *
* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

***PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE
ADDED TO EVERY ORDER.***

Page: 2 Last

ALUMINIUM - LAINIER - JUNGLE - PLASTIQUE - ACIER INOX
ALUMINUM - BRASS - COPPER - PLASTICS - STAINLESS

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE



QUALITY MANAGEMENT SYSTEM
CERTIFIED BY Lloyd's Register

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**
 Hersteller/Importeur/Produttore

Certificato nr: MEST426584/2013/
Prüfung/Test/Examen

Conferma ordine nr: E13007815
Werks/Our Order/Ref nr.

Marchio di Fabbrica:
Zeichen des Unternehmens
Trade mark
Sigla dell'azienda produttrice

Tipo di Elaborazione: E+AOD
Erhmelzungsart/Melting process/Mode d'elaboration

Funzone del Collaudatore:
Stempel des Werksachverständigen
Inspector's stamp/Poinçon de l'essayeur

AISI 303
ASME SA320 2010 B8F (0)
ASTM A370 2012A .
QQ-S-764 B/2 303 A

AMS 5640 U S30300 A
ASTM A314 2008 S30300
ASTM A582 2012 S30300 A

(C) Chemical analysis only.

Qualità: 303
Workshop/Grade/Nuance

Marca: **AU188Z/P**
 Markenbezeichnung
 Produktname

Tolleranza: ASTM A484-11 TABLE 9
Toleranz/Allowance/Tolerance

Punzonatura: 303
Kannzeichnung/Marking/Marcage

Pos. nr. Pos. nr. Item nr. Nr. de poste	Objetto Gegenstand Product description Descrip. du produit	Dimensioni - in Abmessungen Dimension Dimension	Lunghezza - in Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Losnr. Lot nr. Lot nr.
0050	Flat	1,5000 x 0,7500	131 / 149	261768		4.147	309405660

TEST ALLO STATO DI FORNITURA

TEST ALLO STATO DI FORNITURA

Test on delivery condition Prüfung auf lieferbereitem produkt test a l'état de fourniture Prueba sobre el material así como entregado

Test on delivery condition																	Preloading and stabilization product										Load tests on reinforced concrete									
TEST	Provetta/Probeten Specimen/Éprouvette Larg. diam. base Diam. Diam. Choke Width Diam. Thickness Larg. diam. épau. mm		°F	Posiz. Saggio Position Lagepunkt	Svernamento Strackierung Yield Stress Unité d'élasticité Rp 0,2% k.s.l.	Svernamento Strackierung Yield Stress Unité d'élasticité	Resistenza Zugfestigkeit Tensile strength Resistance à traction Rm k.s.l.	Allungamento Dehnung Elongation Allongement		Strizione Biegedruckung Reduction of area Striction		Resilienza Herstellbarkeit Impact Value Resilience		Durezza Härte Hardness Dureté HB																						
								E 4d %		RA %																										
Valori richiesti 1 Anforderungen/Requisits values Valeurs nominatives			min max		-		-		-		-		-		155 250																					
A	12.5	68	L		67		100		39		53				230																					

TEST		min	max	
A	Grain size for ASTM E112			5

1) L=longitudinal/directional, T=transverse/cross, Q=Transverse isotropic/angonit

Mechanical properties according to ASTM A370.

Analisi chimica

Analyst Chemical

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique														
Colata Heat Schmelze/Coulée	min - max 0,150	1,00	1,50 2,00	17,00 19,00	0,60	1,00	8,00 10,00	-	0,100	0,25 0,35	0,400	-	-	-
	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	Co %	P %	S %	Zr %			
261768	0,041	0,23	1,69	17,19	0,39	0,37	8,15	0,164	0,032	0,33	0,002			


Produced without class I-II Ozone depleting substances.
Solution heat treated free from continuous carbide network.
Annealing temperature: 1940°F for 1 h/water.
Micro and macro etch test: OK
Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste
Die gestellten Anforderungen sind in. Anlage erfüllt
The material has been furnished in accordance with the requirements
Le matériel a été trouvé conforme aux exigences

Controllo antimescolanza: OK
Verwechslungsprüfung: spektralanalytisch durchgeführt
Antimixing testing performed: OK
Contrôle antime mélange fait: r.a.s.

Controllo visivo e dimensionale: soddisfa le esigenze
 Besichtigung und Ausmessung: ohne Beanstandung
 Visual inspection and dimensional checks: satisfactory
 Contrôle visuel et dimensionnel: satisfaisant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination
We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.
The Quality Management System Is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1, s. 4.3 by TUEV and LLOYD'S

Vicenza, 12/11/13 VCG008 (Mod. MCE2)	Il collaudatore di stabilimento / der Werkssachverständige / Works Inspector / L'agent d'usine M. Rizzotto 	Pagina - 1 di 2
--	---	-----------------

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2403089718

CstOr 257410

Date 04/11/2014

John R. Zumbeth

Acciaierie Valbruna S.p.A.



QUALITY MANAGEMENT SYSTEM
CERTIFIED BY LLOYD'S REGISTER

CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2004) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Baseler/Purchaser/Client
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**
Hersteller/Item/Usine productrice

Stato di fornitura: Hot rolled - Annealed Cold Drawn
Lieferzustand/Delivery state/Etat de livraison

Avviso di Spedizione: D-VI13033040
Lieferanzahl/Packing list/B.L.

Ordine nr: 36748 STOCK CAROL STR
Bestel/Your order/Commande

Tipo di Elaborazione: E+AOD
Erschmelzungsart/Melting process/Mode d'elaboration

Certificato nr: MEST426584/2013/
Prüfung/Test/Essai

Conferma ordine nr: EI13007815
Works/Our Order/Ref nr.

Marchio di Fabbrica:
Zeichen des Lieferwerkes
Trade mark
Sigle de l'usine productrice



Punzone del Collaudatore:
Stempel des Werkssachverständigen
Inspector's stamp/Plombon de l'assesseur



Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Vicenza, 12/11/13

VCC008
(Mod. MOE2)

Il collaudatore di stabilimento / der Werkssachverständige / Works Inspector / L'agent d'usine

M. Rizzotto

Pagina - 2 di 2

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2403089718

CstAr

CstOr 257410

Wgt.: 47 LB

Date 04/11/2014

John R. Zambetti



Can Do.

Service Center Metals
5850 Quality Way
Prince George, VA 23875

CERTIFIED INSPECTION REPORT AND TEST RESULTS
FOR EXTRUDED PRODUCTS

BILL TO	MANIFEST NUMBER	DIE NUMBER	DATE OF SHIPMENT
Copper & Brass Sales, Inc.	220697	RB0404	4/3/2014
SHIP TO	CUSTOMER PO	ALLOY / TEMPER	SALESPERSON
Copper & Brass Sales, Inc	5400218180	6061-T6511	Ellis Williams
Quantity Certified	CUSTOMER PART NUMBER	DESCRIPTION	
1,156 lbs 18 pcs	ALREC00877	SCRB 2.000X2.250	

We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, and that samples representative of the material met the composition limits and had the mechanical properties shown.

OUR ORDER NUMBER	ITEM
200513	3
CERTIFICATION	
ASTM-B221-13 StencilCont	
SPECIFICATION	
AMS-QQA-200/8 - 1997	
SPECIFICATION	
RoHS 2011/65/EU Compliant	
Items produced and certified as 6061-T6511 also meet the requirements of 6061-T6	

Jim 4-04-22

Mechanical Properties

Tests Lot No.

201406213

3/29/14 min max min max min max
48.50 48.50 45.00 45.00 16.15 16.15

Test Date Ultimate Tensile Strength (KSI) Yield Strength (KSI) Percent Elongation

Chemical Composition for Aluminum Alloy 6061

Cast Number	Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Al	Each	Others Total	Melt Source:
0314080	6061	0.77	0.35	0.31	0.09	0.86	0.10	0.06	0.02	97.44	0.03	0.10	United States of America

Calvin J. Wiggins, Director of Quality & Technical Services

Print Date: 4/3/2014



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO23744

Purchase Order Date 4/10/2014

PO Print Date 4/10/2014

Page Number 1 of 6

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FX 4/10/14

Contact Name		Buyer	Chantal Lavoie
Vendor Phone	905 669 9444	Customer POID	
Ship To Contact		Customer Tax #	10127-2607
Ship To Phone		Terms	Net 30
Ship Via:	VENDOR'S TRUCK	Currency	CAD
Ship Acct:		FOB	FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M303B0.750X1.500 MATERIAL: AISI 303 SS BAR AS PER <u>ASTM A582</u> NOTE: AISI 304/316 NOT ACCEPTABLE	303 BAR .750" X 1.500"	4/22/2014 Yes 4/22/2014		12.00 f	\$18.95	\$227.40
Line Total:							\$227.40
2	M6061T6B2.000X05.000 MATERIAL: 6061-T6/T651/T6510/T6511/62 ALUMINUM BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 NOTE: CUT BAR IN HALF	6061T6 Bar 2.00 x 5.000	4/17/2014 Yes 4/17/2014		12.00 f	\$23.50	\$282.00
Line Total:							\$282.00

PO Instructions: QUOTATION:
NO: PEC ST-670696
NO: PEC ST-670569

Note:

4/10/2014



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO23744**

Purchase Order Date 4/10/2014

PO Print Date 4/10/2014

Page Number 5 of 6

Order From :
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL "A"
TORONTO, ON M5W 5V8
CA

VC-COP001

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 905 669 9444

Ship To Contact
Ship To Phone
Ship Via: VENDOR'S TRUCK
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FCA - (Free Carrier)

11	M6061T6B2.000X02.250	6061-T6 Bar 2.00 x 2.25	4/17/2014	12.00	✓	\$12.92	\$155.00
			Yes	f			
			4/17/2014				

MATERIAL: 6061-T6/T651/T6510/T6511/62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221

Line Total: \$155.00

12	M6061T6R1.000	ROUND BAR 1.00"	4/17/2014	60.00	✓	\$1.83	\$110.00
			Yes	f			
			4/17/2014				

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM ROUND BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Line Total: \$110.00

PO Instructions: QUOTATION:
NO: PEC ST-670696
NO: PEC ST-670569

Note:

4/10/2014



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO23744

Purchase Order Date 4/10/2014

PO Print Date 4/10/2014

Page Number 6 of 6

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 905 669 9444

Ship To Contact
Ship To Phone

Ship Via: VENDOR'S TRUCK
Ship Acct:

Buyer
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FCA - (Free Carrier)

13	71401-45	PROCUREMENT QUALITY CLAUSES	4/22/2014	1.00	\$0.00	\$0.00
----	----------	--------------------------------	-----------	------	--------	--------

No

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality document

4/22/2014

Line Total: \$0.00

PO Total: \$1,437.00

PO Instructions: QUOTATION:
NO: PEC ST-670696
NO: PEC ST-670569

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 2

Change Date: 4/10/2014